

IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

MEXI Trading Pty Ltd

A.B.N.: 82153179287

15/365 West Botany Street, Rockdale, NSW 2216 Australia

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;-- Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity - Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.

Evaluated to:

AS 3497:2021

Drinking water treatment systems - Design and performance requirements

Manufacturer:

Refer to Licence Holder

Licence No.: WM-032151

First Certified: 02 Dec 2020

Certification Date: 09 Nov 2022

Expiry Date: 01 Dec 2025


CEO, The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder
MEXI Trading Pty Ltd

A.B.N.:82153179287
15/365 West Botany Street, Rockdale, NSW 2216 Australia

Manufacturer
Refer to Licence Holder

Standards
AS 3497:2021

Drinking water treatment systems - Design and performance requirements

Licence No. WM-032151

Certification Date: 09 Nov 2022

Expiry Date: 01 Dec 2025

First Certified: 02 Dec 2020

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Operating Pressure	Operating Temperature	Flow Rate
AQUA BLUE H20	5231JA2002AWF-S	5231JA2002AWF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	5231JA2002AWF	5231JA2002AWF	Water Filters and Water Treatment Appliance	Replacement cartridge for 5231JA2002AWF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA2010CB-WF-S	DA2010CB-WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA2010CB-WF	DA2010CB-WF	Water Filters and Water Treatment Appliance	Replacement cartridge for DA2010CB-WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA29-00020BWF-S	DA29-00020BWF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA29-00020BWF	DA29-00020BWF	Water Filters and Water Treatment Appliance	Replacement cartridge for DA29-00020BWF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA29-00003GWF-S	DA29-00003GWF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DA29-00003GWF	DA29-00003GWF	Water Filters and Water Treatment Appliance	Replacement cartridge for DA29-00020BWF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	ADQ360061001-WF-S	ADQ360061001-WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN(3/8") DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	ADQ360061001-WF	ADQ360061001-WF	Water Filters and Water Treatment Appliance	Replacement cartridge for RWF1200A-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DW2042FR-09WF-S	DW2042FR-09WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	DW2042FR-09WF	DW2042FR-09WF	Water Filters and Water Treatment Appliance	Replacement cartridge for DW2042FR-09WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	InletOutlet	Operating Pressure	Operating Temperature	Flow Rate
AQUA BLUE H20	842802-WF-S	842802-WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	842802-WF	842802-WF	Water Filters and Water Treatment Appliance	Replacement cartridge for 842802-WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	836848WF-S	836848WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	836848WF	836848WF	Water Filters and Water Treatment Appliance	Replacement cartridge for 836848WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	AB-C-COMPLETE-S	AB-C-COMPLETE-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	AB-C-COMPLETE	AB-C-COMPLETE	Water Filters and Water Treatment Appliance	Replacement cartridge for AB-C-COMPLETE-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	LT800PWF-S	LT800PWF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN(3/8") DN8(1/4") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	LT800PWF	LT800PWF	Water Filters and Water Treatment Appliance	Replacement cartridge for LT800PWF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	AB712WF-S	AB712WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN(3/8") push-fit	210 kPa - 827 kPa	1-38°C	2GPM
AQUA BLUE H20	AB712WF	AB712WF	Water Filters and Water Treatment Appliance	Replacement cartridge for AB712WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	2GPM
AQUA BLUE H20	AB912WF-S	AB912WF-S	Water Filters and Water Treatment Appliance	Filter system fridge filter for reduction of chlorine, taste, odour	In line	DN(3/8") push-fit	210 kPa - 827 kPa	1-38°C	0.5GPM
AQUA BLUE H20	AB912WF	AB912WF	Water Filters and Water Treatment Appliance	Replacement cartridge for AB712WF-S	In line	N/A	210 kPa - 827 kPa	1-38°C	0.5GPM

END RECORD

END RECORD



CEO, The IAPMO Group